

WATER WELL REPORT

STATE OF WASHINGTON

Application No.

Permit No.

(1) OWNER: Name Winona Woods Address RT 2 Box 252 Clinch 98236(2) LOCATION OF WELL: County Island - BE 1/4 SE 1/4 Sec. 9 T. 29 N. R. 35 W.M.Bearing and distance from section or subdivision corner 1200' N of SE corner of Sec 9(3) PROPOSED USE: Domestic ☒ Industrial ☐ Municipal ☐
Irrigation ☐ Test Well ☐ Other ☐(4) TYPE OF WORK: Owner's number of well (if more than one)
New well ☒ Method: Dug ☐ Bored ☐
Deepened ☐ Cable ☒ Driven ☐
Reconditioned ☐ Rotary ☐ Jetted ☐(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 9.7 ft. Depth of completed well 9.7 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 0 ft. to 8.7 ft.
Threaded ☐ " Diam. from ft. to ft.
Welded ☒ " Diam. from ft. to ft.Perforations: Yes ☐ No ☒Type of perforator used
SIZE of perforations in. by in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.Screens: Yes ☒ No ☐Manufacturer's Name COOK
Type STAINLESS STEEL Model No.
Diam. 6 Slot size 10 from 8.7 ft. to 9.7 ft.
Diam. Slot size from ft. to ft.Gravel packed: Yes ☐ No ☒ Size of gravel:
Gravel placed from ft. to ft.Surface seal: Yes ☒ No ☐ To what depth? 2.5 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes ☐ No ☒
Type of water? Depth of strata
Method of sealing strata off(7) PUMP: Manufacturer's Name
Type: H.P.(8) WATER LEVELS: Land-surface elevation above mean sea level ft.
Static level 65'6" ft. below top of well Date 8/8/78
Artesian pressure lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes ☒ No ☐ If yes, by whom? Driller
Yield: 15 gal./min. with 6 ft. drawdown after 2 hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes ☐ No ☐

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Hard Pan	0	7.6
Sand C. Brown w.w.	7.6	9.7

Work started 7/28, 1978. Completed 8/8, 1978

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME B+W Drilling Co.
(Person, firm, or corporation) (Type or print)Address PO Box 55 Freeland 98244[Signed] James Millen & Lehn
(Well Driller)License No. C263 Date 8/10, 1978

(USE ADDITIONAL SHEETS IF NECESSARY)



Well Tagging Form

Unique Well Tag No: AGA 819

RECORD VERIFICATION (check ☒ one)



Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. Do not use this form for wells that do not have a Water Well Report.

WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT

First Name: T.E.L. Water Company No. 1

Street Address: PO Box 549 (18181 SR525 Ste A)

City: Freeland State: WA 98249

LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT

Well Address: 3653 Rabbit Run Road Parcel R32910-150-0850

City: Langley County: Island

T. 29 N. R. 3 E W.M. Sec. 10 SW 1/4 of the SW

Latitude 48 0.5734907

Longitude 122 25.15523

Elevation at land surface 216 feet/meters (circle one)

SEE BACK SIDE OF PAGE...



WELL CHARACTERISTICS

Location of Well identification Tag:

Well Identification Tag:

Strapped to well casing in
pump house

D	C	B	A
E	F	G	H
M	L	K	J
	P	Q	R

Scale 1:24,000 (1" = 2,000')

Indicate the location of the well within the Section by drawing a dot at that point

SECTION

10

COMMENTS